Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005		Date of last issue: 03/19/2015 Date of first issue: 12/11/2014	
SECTION	1. IDENTIFICATION				
Produ	Product name		ASSIC TOUCH	H Foaming Antimicrobial Lotion Soap	
Produ	uct code	: 12	206		
	facturer or supplier's				
Comp	Company name of supplier		AFFLAB™ AFFILIATED LABORATORIES A DIVISION OF AFFLINK		
Addre	ess	: Tu	scaloosa, Alab	ama 34506	
Telep	hone	: 80	800-222-5521		
Emer	gency telephone	: 80	800-222-5521		
Reco	mmended use of the o	chemica	and restriction	ons on use	
Reco	mmended use	: An	tibacterial Soa	ρ	
Restri	Restrictions on use		This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling a proper use of the product for industrial workplace condition as well as unusual and unintended exposures such as lar- spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.		

### SECTION 2. HAZARDS IDENTIFICATION

Flammable liquids Serious eye damage GHS Label element	: Category 3 : Category 1
Hazard pictograms	

Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014				
Signal Word Hazard Statements			<ul> <li>Danger</li> <li>H226 Flammable liquid and vapor. H318 Causes serious eye damage.</li> </ul>				
Precautionary Statements		No smoking. P233 Keep conta P241 Use explose equipment. P242 Use only n P243 Take preca P280 Wear protect <b>Response:</b> P303 + P361 + F all contaminated P305 + P351 + F water for several and easy to do. C CENTER or doct <b>Storage:</b> P403 + P235 Stor <b>Disposal:</b>	<ul> <li>v from heat/sparks/open flames/hot surfaces.</li> <li>ainer tightly closed.</li> <li>sion-proof electrical/ ventilating/ lighting/</li> <li>on-sparking tools.</li> <li>autionary measures against static discharge.</li> <li>active gloves/ eye protection/ face protection.</li> <li>P353 IF ON SKIN (or hair): Take off immediately clothing. Rinse skin with water/shower.</li> <li>P353 + P310 IF IN EYES: Rinse cautiously with minutes. Remove contact lenses, if present Continue rinsing. Immediately call a POISON or/ physician.</li> <li>ore in a well-ventilated place. Keep cool.</li> <li>contents/ container to an approved waste</li> </ul>				

### Other hazards

Vapors may form explosive mixture with air.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### **Hazardous ingredients**

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 1 - < 5
Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2- ethanediyl), Ammonium salt	67762-19-0	>= 1 - < 5
Ammonium dodecyl sulphate	2235-54-3	>= 1 - < 5
Propylene glycol	57-55-6	>= 1 - < 5
4-chloro-3,5-dimethylphenol	88-04-0	>= 0.1 - < 1

### **SECTION 4. FIRST AID MEASURES**

General advice

: In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014				
If inhaled			: If inhaled, remove to fresh air. Get medical attention if symptoms occur.				
In ca	ase of skin contact		: Wash with water and soap as a precaution. Get medical attention if symptoms occur.				
In case of eye contact		<ul> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Get medical attention immediately.</li> </ul>					
lf sw	vallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.					
	t important symptoms effects, both acute and yed	: Causes seriou	is eye damage.				
Prot	ection of first-aiders	and use the re	onders should pay attention to self-protection, ecommended personal protective equipment ential for exposure exists.				
Note	es to physician	: Treat symptor	natically and supportively.				

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Sulfur oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

Vers 2.0	ion	Revision Date: 04/08/2015		SDS Number: 378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014		
	Special protective equipment for fire-fighters		:	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.			
SEC	TION 6	. ACCIDENTAL RELE	ASI	EMEASURES			
	Personal precautions, protective equipment and emergency procedures		:	<ul> <li>Remove all sources of ignition.</li> <li>Use personal protective equipment.</li> <li>Follow safe handling advice and personal protective equipment recommendations.</li> </ul>			
	Environmental precautions		:	<ul> <li>Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment o barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.</li> </ul>			
	Methods and materials for containment and cleaning up		:	<ul> <li>Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapors/mists with a water jet.</li> <li>For large spills, provide diking or other appropriate containment to keep material from spreading. If diked r can be pumped, store recovered material in appropriate container.</li> <li>Clean up remaining materials from spill with suitable absorbent.</li> <li>Local or national regulations may apply to releases and disposal of this material, as well as those materials and employed in the cleanup of releases. You will need to determine which regulations are applicable.</li> <li>Sections 13 and 15 of this SDS provide information regulation regulations are applicable.</li> </ul>			

### SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling	<ul> <li>Avoid inhalation of vapor or mist.</li> <li>Do not swallow.</li> <li>Do not get in eyes.</li> <li>Avoid prolonged or repeated contact with skin.</li> <li>Handle in accordance with good industrial hygiene and safety practice.</li> <li>Non-sparking tools should be used.</li> </ul>

Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014		
		Take precautiona	ghtly closed. heat and sources of ignition. Iry measures against static discharges. vent spills, waste and minimize release to the		
Conditions for safe storage		<ul> <li>Keep in properly labeled containers.</li> <li>Keep tightly closed.</li> <li>Keep in a cool, well-ventilated place.</li> <li>Store in accordance with the particular national regulations.</li> <li>Keep away from heat and sources of ignition.</li> </ul>			
Materials to avoid		: Do not store with the following product types: Strong oxidizing agents Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures which in contact with water emit flammable gases Explosives Gases			

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propylene glycol	57-55-6	TWA	10 mg/m3	US WEEL

### Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alpha-Sulfo-omega-	67762-19-0
(dodecyloxy)-poly(oxy-1,2-	
ethanediyl), Ammonium salt	
Ammonium dodecyl sulphate	2235-54-3
4-chloro-3,5-dimethylphenol	88-04-0

#### Engineering measures

 Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation.
 Use with local exhaust ventilation.
 Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general

5/21

Version 2.0	Revision Date: 04/08/2015	MSDS Nu 31378-000	
		workpl assess Particu dust, 5 Particl Specif	ons of concentrations of particulates in the air at aces have to be considered in workplace risk ment. Relevant limits include: OSHA PEL for lates Not Otherwise Regulated of 15 mg/m3 - total mg/m3 - respirable fraction; and ACGIH TWA for es (insoluble or poorly soluble) Not Otherwise ed of 3 mg/m3 - respirable particles, 10 mg/m3 - ole particles.
Pei	rsonal protective equipn	nent	
Re	spiratory protection	mainta concer unkno Follow use NI by air hazarc supplie release circum	al and local exhaust ventilation is recommended to in vapor exposures below recommended limits. Where attrations are above recommended limits or are wn, appropriate respiratory protection should be worn. OSHA respirator regulations (29 CFR 1910.134) and OSH/MSHA approved respirators. Protection provided burifying respirators against exposure to any ous chemical is limited. Use a positive pressure air ed respirator if there is any potential for uncontrolled e, exposure levels are unknown, or any other stance where air purifying respirators may not provide ate protection.
	nd protection Material	· Impen	ious gloves
r	Material	: Flame	retardant gloves
F	Remarks	on the time is For sp resista gloves	e gloves to protect hands against chemicals depending concentration specific to place of work. Breakthrough not determined for the product. Change gloves often! ecial applications, we recommend clarifying the nce to chemicals of the aforementioned protective with the glove manufacturer. Wash hands before and at the end of workday.
Eye	e protection	Chemi	he following personal protective equipment: cal resistant goggles must be worn. shes are likely to occur, wear: hield
Ski	n and body protection	resista potent Wear t Flame Skin ce	appropriate protective clothing based on chemical nce data and an assessment of the local exposure al. he following personal protective equipment: retardant antistatic protective clothing. ontact must be avoided by using impervious protective g (gloves, aprons, boots, etc).
Hy	giene measures		e that eye flushing systems and safety showers are I close to the working place.

Version 2.0	Revision Date: 04/08/2015		DS Number: 378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
				not eat, drink or smoke. ated clothing before re-use.
SECTION	9. PHYSICAL AND CHI	EMIC		ES
Арре	earance	:	liquid	
Color	r	:	clear, amber, b	rown
Odor		:	fruity	
Odor	Threshold	:	No data availab	le
рН		:	4.5 - 8.5	
Melti	ng point/freezing point	:	No data availab	le
Initial range	l boiling point and boiling e	:	83 °C	
Flash	n point	:	58.9 °C	
Evap	oration rate	:	No data availab	le
Flam	mability (solid, gas)	:	Not applicable	
Uppe	er explosion limit	:	No data availab	le
Lowe	er explosion limit	:	No data availab	le
Vapo	or pressure	:	No data availab	le
Relat	tive vapor density	:	No data availab	le
Dens	sity	:	1.00 g/cm3	
	oility(ies) ater solubility	:	soluble	
	tion coefficient: n- nol/water	:	Not applicable	
Autoi	ignition temperature	:	No data availab	le
Deco	omposition temperature	:	The substance	or mixture is not classified self-reactive.
Visco Vis	osity scosity, kinematic	:	10 - 20 mm2/s	(20 °C)
Explo	osive properties	:	Not explosive	

Vers 2.0	sion	Revision Date: 04/08/2015		DS Number: 378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014	
	Oxidizi	ng properties	:	The substance of	or mixture is not classified as oxidizing.	
SECTION 10. STABILITY AND R			EAC	ΤΙVITY		
	Reactivity		:	Not classified as a reactivity hazard.		
	Chemical stability		:	Stable under normal conditions.		
	Possibility of hazardous reac- tions		:	<ul> <li>Flammable liquid and vapor.</li> <li>Vapors may form explosive mixture with air.</li> <li>Can react with strong oxidizing agents.</li> </ul>		
	Conditions to avoid		:	Heat, flames and	d sparks.	
	Incompatible materials		:	Oxidizing agents		
	Hazard produc	lous decomposition ts	:	No hazardous de	ecomposition products are known.	

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of Inhalation Skin contact Ingestion Eye contact	of (	exposure
Acute toxicity Not classified based on availab	le	information.
Product:		
Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Ingredients:		
Ethanol:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor
Alpha-Sulfo-omega-(dodecy)	nx	y)-poly(oxy-1,2-ethanediyl), Ammonium salt:
Acute oral toxicity		LD50 (Rat): 4,100 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

ersion 0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014		
	nonium dodecyl sulpl e oral toxicity	: LD50 (Rat): 2, Method: EC D	000 mg/kg irective 92/69/EEC B.1 Acute Toxicity (Oral) ed on data from similar materials		
	ylene glycol: e oral toxicity	: LD50 (Rat): >	5,000 mg/kg		
Acute	e inhalation toxicity	Exposure time Test atmosphe Assessment: 1	<ul> <li>LC50 (Rabbit): &gt; 159 mg/l, &gt; 51091 ppm Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity</li> </ul>		
Acute	e dermal toxicity	: LD50 (Rabbit) Assessment: T toxicity	: > 2,000 mg/kg The substance or mixture has no acute dermal		
	oro-3,5-dimethylphe e oral toxicity	: Acute toxicity Method: Expe	ed on harmonised classification in EU regulation		
Acute	e inhalation toxicity	: LC50 (Rat): > Test atmosphe			
Acute	e dermal toxicity	: LD50 (Rat): >	2,000 mg/kg		
Not c <u>Prod</u>	<b>corrosion/irritation</b> lassified based on ava <u>uct:</u> lt: No skin irritation	ilable information.			
<b>Etha</b> Spec Meth	edients: nol: ies: Rabbit od: OECD Test Guidel lt: No skin irritation	ine 404			
Spec Meth Resu	<b>a-Sulfo-omega-(dode</b> ies: Rabbit od: OECD Test Guidel It: Skin irritation arks: Based on data fro	ine 404	2-ethanediyl), Ammonium salt:		

Ammonium dodecyl sulphate: Species: Rabbit Method: OECD Test Guideline 404 Result: Skin irritation

VersionRevision Date:MSDS Number:Date of last issue: 03/19/20152.004/08/201531378-00005Date of first issue: 12/11/2014

# Propyl

**Propylene glycol:** Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

### 4-chloro-3,5-dimethylphenol:

Result: Skin irritation Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Ingredients:

**Ethanol:** Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

### Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rabbit Result: Irreversible effects on the eye Remarks: Based on data from similar materials

#### Ammonium dodecyl sulphate:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405

#### Propylene glycol:

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

#### 4-chloro-3,5-dimethylphenol:

Result: Irreversible effects on the eye

#### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

#### Product:

Assessment: Does not cause skin sensitization.

### Ingredients:

**Ethanol:** Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: negative

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014					
Route Speci Metho Resul	Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative Remarks: Based on data from similar materials							
Test Route Speci Resul	Ammonium dodecyl sulphate: Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials							
Test Route Speci	<b>/lene glycol:</b> Type: Maximization Tes s of exposure: Skin con es: Guinea pig t: negative							
Asses	oro-3,5-dimethylphene ssment: Probability or e ırks: Based on harmoni	vidence of skin sensit	ization in humans U regulation 1272/2008, Annex VI					
Not cl	cell mutagenicity assified based on avail	able information.						
	dients:							
Ethar Geno	<b>tol:</b> toxicity in vitro	: Test Type: In vi Result: negative	tro mammalian cell gene mutation test					
Geno	toxicity in vivo	: Test Type: Rod Species: Mouse Application Rou Result: negative	te: Ingestion					
	a-Sulfo-omega-(dodec toxicity in vitro	: Test Type: Bac Method: OECD Result: negative	<b>ethanediyl), Ammonium salt:</b> rerial reverse mutation assay (AMES) Test Guideline 471 e d on data from similar materials					
		Method: OECD Result: negative	tro mammalian cell gene mutation test Test Guideline 476 e d on data from similar materials					
Geno	toxicity in vivo	cytogenetic test Species: Mouse Application Rou						

/ersion 0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014		
		Result: negativ Remarks: Base	e ed on data from similar materials		
	onium dodecyl sulp toxicity in vitro	: Test Type: In v Result: negativ	itro mammalian cell gene mutation test e ed on data from similar materials		
Geno	toxicity in vivo	cytogenetic ass Species: Mous Application Rou Method: OECD Result: negativ	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials		
Prop	ylene glycol:				
	toxicity in vitro	: Test Type: Bac Result: negativ	terial reverse mutation assay (AMES) e		
Geno	toxicity in vivo	Species: Mouse	ute: Intraperitoneal injection		
	oro-3,5-dimethylphe toxicity in vitro		terial reverse mutation assay (AMES) e		
	inogenicity	ilela information			
	lassified based on ava	anable information.			
Amm Speci Applio Expos Resu	dients: onium dodecyl sulp ies: Rat cation Route: Ingestio sure time: 2 Years It: negative arks: Based on data fro	n			
Prop Speci Applic Expo	<b>ylene glycol:</b> ies: Rat cation Route: Ingestio sure time: 2 Years It: negative				
II IARC	;		his product present at levels greater than or dentified as probable, possible or confirmed h by IARC.		
OSH	Α		his product present at levels greater than or dentified as a carcinogen or potential carcino-		

ersion .0	Revision Date: 04/08/2015		SDS Number: 378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
NTP		No ingredient of this product present at levels greater th equal to 0.1% is identified as a known or anticipated car by NTP.		
-	ductive toxicity assified based on availa	ble	information.	
Ingred Ethan Effects		:	Test Type: Two-g Species: Mouse Application Route Method: OECD Te Result: negative	
	-Sulfo-omega-(dodecy s on fertility	/lox :	Test Type: Two-g Species: Rat Application Route Result: negative	hanediyl), Ammonium salt: eneration reproduction toxicity study : Ingestion on data from similar materials
Effects	s on fetal development	:	Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion on data from similar materials
II Ammo	onium dodecyl sulpha	te:		
	s on fetal development	:	Species: Rat Application Route Result: negative	o-fetal development : Ingestion on data from similar materials
II Propy	lene glycol:			
	s on fertility	:	Species: Mouse Application Route Result: negative	: Ingestion
Effects	s on fetal development	:	Test Type: Embry Species: Mouse Application Route Result: negative	o-fetal development : Ingestion

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

Version	Revision Date:	MSDS Number:	Date of last issue: 03/19/2015
2.0	04/08/2015	31378-00005	Date of first issue: 12/11/2014

#### Repeated dose toxicity

#### Ingredients:

**Ethanol:** Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rat NOAEL: > 225 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

#### Propylene glycol:

Species: Rat NOAEL: 1,700 mg/kg Application Route: Ingestion Exposure time: 2 y

#### 4-chloro-3,5-dimethylphenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

#### Aspiration toxicity

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

#### Ingredients:

Ethanol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d

ersion D	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
Toxici	ty to bacteria	: EC50 (Photob Exposure time	pacterium phosphoreum): 32.1 mg/l e: 0.25 h
	<b>-Sulfo-omega-(dodecy</b> ty to fish	: LC50 (Danio r Exposure time Method: OEC	<b>2-ethanediyl), Ammonium salt:</b> rerio (zebra fish)): 7.1 mg/l e: 96 h D Test Guideline 203 sed on data from similar materials
	ty to daphnia and other ic invertebrates	Exposure time Method: OEC	ia magna (Water flea)): 7.4 mg/l e: 48 h D Test Guideline 202 sed on data from similar materials
Toxici	ty to algae	Exposure time Method: OEC	odesmus subspicatus (green algae)): 27.7 mg/l e: 72 h D Test Guideline 201 sed on data from similar materials
		Exposure time Method: OEC	odesmus subspicatus (green algae)): 0.95 mg/ e: 72 h D Test Guideline 201 sed on data from similar materials
Toxici toxicit	ty to fish (Chronic y)	Exposure time Method: OEC	rhynchus mykiss (rainbow trout)): 0.14 mg/l e: 28 d D Test Guideline 204 sed on data from similar materials
aquat	ty to daphnia and other ic invertebrates nic toxicity)	Exposure time	nia magna (Water flea)): 0.27 mg/l e: 21 d sed on data from similar materials
Toxici	ty to bacteria	Exposure time Method: DIN 3	
	<b>onium dodecyl sulpha</b> ty to fish	: LC50 (Oncorh Exposure time Method: OEC	nynchus mykiss (rainbow trout)): 3.6 mg/l e: 96 h D Test Guideline 203 sed on data from similar materials
	ty to daphnia and other ic invertebrates	Exposure time Method: Teste	ia magna (Water flea)): 4.7 mg/l e: 48 h ed according to Directive 92/69/EEC. sed on data from similar materials
Toxici	ty to algae	Exposure time Method: Direc	odesmus subspicatus (green algae)): > 20 mg/ e: 72 h ctive 67/548/EEC, Annex V, C.3. sed on data from similar materials

ersion .0	Revision Date: 04/08/2015	MSDS Number:Date of last issue: 03/19/201531378-00005Date of first issue: 12/11/2014	
		EC10 (Desmodesmus subspicatus (green algae)): 5.4 mg Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials	<b>j/l</b>
aquat	ty to daphnia and other ic invertebrates nic toxicity)	<ul> <li>NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l</li> <li>Exposure time: 7 d</li> <li>Remarks: Based on data from similar materials</li> </ul>	
Toxici	ity to bacteria	<ul> <li>EC0 (Pseudomonas putida): 409 mg/l</li> <li>Exposure time: 16 h</li> <li>Method: DIN 38 412 Part 8</li> <li>Remarks: Based on data from similar materials</li> </ul>	
	<b>/lene glycol:</b> ity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/ Exposure time: 96 h	4
	ty to daphnia and other ic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h	
Toxici	ty to algae	: EC50 (Skeletonema costatum (marine diatom)): 19,000 m Exposure time: 48 h Method: OECD Test Guideline 201	ו/s
Toxici toxicit	ty to fish (Chronic y)	: Chronic Toxicity Value: 2,500 mg/l Exposure time: 30 d	
aquat	ty to daphnia and other ic invertebrates nic toxicity)	: NOEC (Ceriodaphnia dubia (water flea)): 29,000 mg/l Exposure time: 7 d	
Toxici	ty to bacteria	: NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h	
	oro-3,5-dimethylpheno ity to fish	<ul> <li>LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l</li> <li>Exposure time: 96 h</li> </ul>	
	ty to daphnia and other ic invertebrates	: EC50 (Daphnia magna (Water flea)): 7.7 mg/l Exposure time: 48 h	
M-Fac icity)	ctor (Acute aquatic tox-	: 1	
Persi	stence and degradabil	у	
	dients:		
Ethar Biode	iol: gradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d	

Version 2.0	Revision Date: 04/08/2015	MSDS No 31378-00	
	<b>a-Sulfo-omega-(dod</b> e egradability	: Resu Biode Expos Metho	<b>y(oxy-1,2-ethanediyl), Ammonium salt:</b> t: Readily biodegradable. gradation: 100 % sure time: 28 d od: Directive 67/548/EEC Annex V, C.4.C. arks: Based on data from similar materials
	<b>nonium dodecyl sulp</b> egradability	: Resu Biode Expos Metho	t: Readily biodegradable. gradation: 75.7 % sure time: 28 d od: OECD Test Guideline 301B arks: Based on data from similar materials
	ylene glycol: egradability	Biode Expos	t: Readily biodegradable. gradation: 98.3 % sure time: 28 d od: OECD Test Guideline 301F
Bioa	ccumulative potentia	1	
<b>Etha</b> Partit	edients: nol: tion coefficient: n- nol/water	: log Pe	ow: -0.35
Partit	a-Sulfo-omega-(dode tion coefficient: n- nol/water		<b>y(oxy-1,2-ethanediyl), Ammonium salt:</b> ow: 0.3
Partit	nonium dodecyl sulp tion coefficient: n- nol/water		ow: 0.8 - 0.91
Partit	ylene glycol: tion coefficient: n- nol/water	: log P	ow: -1.07
Partit	loro-3,5-dimethylphe tion coefficient: n- nol/water		ow: 3.27
No da	i <b>lity in soil</b> ata available		
	r adverse effects ata available		

### SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014	
Waste from residues		: Dispose of in accordance with local regulations.		
Contaminated packaging		<ul> <li>Dispose of as unused product.</li> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>		

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulation

**UNRTDG** Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

### **49 CFR** Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard	
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
US State Regulations			
Pennsylvania Right To Know	,		
Water		7732-18-5 70 - 90 %	

Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005		nst issue: 03/19/201 rst issue: 12/11/201	-
	Alpha-Sulfo	i dodecyl sulphate o-omega-(dodecyloxy)- diyl), Ammonium salt glycol	poly(oxy-	64-17-5 2235-54-3 67762-19-0 57-55-6	1 - 5 % 1 - 5 % 1 - 5 % 1 - 5 %
	Ammonium Propan-2-c			7783-20-2 67-63-0	0.1 - 1 % 0.1 - 1 %
New J	ersey Right To Know	N			
	Water			7732-18-5	70 - 90 %
Ethanol				64-17-5	1 - 5 %
Ammonium dodecyl sulphate				2235-54-3	1 - 5 %
		o-omega-(dodecyloxy)- diyl), Ammonium salt	poly(oxy-	67762-19-0	1 - 5 %
	Propylene			57-55-6	1 - 5 %
- ···					

#### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### The ingredients of this product are reported in the following inventories:

AICS : All ingredients listed or exempt.


#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

Version	Revision Date:	MSDS Number:	Date of last issue: 03/19/2015
2.0	04/08/2015	31378-00005	Date of first issue: 12/11/2014

#### **SECTION 16. OTHER INFORMATION**

#### Further information



HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

#### Full text of other abbreviations

ACGIH		USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	04/08/2015

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

VersionRevision Date:MSDS Number:Date of last issue: 03/19/20152.004/08/201531378-00005Date of first issue: 12/11/2014

US / Z8