

**SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

**PRODUCT NAME** Hydroxi Pro Super Concentrate **ITEM** HPC-256SC  
**PRODUCT USE** Hard Surface Cleaner  
**COMPANY NAME** Core Products Co., Inc. **Office** (800) 825-2673  
 401 Industrial Rd **Fax** (903) 567-1346  
 Canton TX 75103 **Web** [www.coreproductsco.com](http://www.coreproductsco.com)  
**EMERGENCY TELEPHONE NUMBER** **CHEMTREC** (800) 424-9300

**SECTION – 2 HAZARDS INFORMATION**

Health Hazards EYES-Category 1; SKIN-Category 1A; STOT SINGLE EXPOSURE-Category 3



Respiratory Tract Irritant



Eye Damage  
Skin Corrosion/Burns

**DANGER** Causes severe skin burns and eye damage, Harmful if swallowed, May cause respiratory irritation, Avoid eye or skin contact, and inhalation of mist, Use proper Safety Equipment, Wash thoroughly after handling, Avoid release into the environment

**SECTION – 3 COMPOSITION INFORMATION** (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS #	IMPURITIES	PERCENT
Alcohol Ethoxylate	Alcohols, C9-11, ethoxylated	68439-46-3		1 - 10%
Hydrogen Peroxide		7722-84-1		7.86%

**SECTION – 4 FIRST AID MEASURES**

**EYE CONTACT** Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid  
**SKIN CONTACT** Immediately wash contaminated skin with a nonabrasive soap and plenty of water for at least 15 minutes, Remove any contaminated clothing and wash before reuse, If irritation occurs or persists seek medical aid  
**INHALATION** Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical attention  
**INGESTION** DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs

**Aspiration Hazard** Not applicable

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE**

**Eyes** Can cause serious eye irritation, redness, tearing, pain, or possible eye damage, by direct product eye contact  
**Skin** Can cause serious skin irritation, redness, burning, drying or cracking  
**Inhalation** Spray mist may cause mild irritation, to mucus membranes or respiratory tract  
**Ingestion** Harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Slight acute toxicity if swallowed

**CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE**

**Eyes** Causes serious eye damage, redness, tearing, pain, or possible corneal injury, by direct product eye contact  
**Skin** Can cause serious skin damage, redness, burning, defatting of the skin which may lead to dermatitis  
**Inhalation** Spray mist may cause irritation, to nose, throat or mucus membranes  
**Ingestion** Harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus, Moderate acute toxicity if swallowed

**SECTION – 5 FIRE FIGHTING MEASURES**

**Extinguishing Media** Not flammable: Use extinguishing media for surrounding fire  
**Hazardous Decomposition** Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes  
**Reactive With** Reactive with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper, nickel, brass  
**Explosion Hazards** Not applicable  
**Static Discharge** Not applicable  
**Mechanical Impact** Not applicable  
**Protective Equipment** Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

**SECTION – 6 ACCIDENTAL RELEASE MEASURES**

<b>Emergency Procedures</b>	Warn personnel of spill
<b>Personal Precautions</b>	Ventilate area, Avoid slipping on spilled product
<b>Protective Equipment</b>	Safety Glasses, Gloves
<b>Containment</b>	Use rags, towels, absorbent socks or pads to prevent spill from spreading
<b>Clean Up Procedures</b>	Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water
<b>Disposal</b>	Dispose of material in accordance with all State and Federal Guidelines and Regulations

**SECTION – 7 HANDLING AND STORAGE**

<b>Handling</b>	Use appropriate safety equipment, and adequate ventilation, Avoid eye and skin contact, Avoid inhalation of mist, Harmful if swallowed, Wash thoroughly after handling, Avoid release to the environment, Triple rinse container before discarding
<b>Storage</b>	KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible materials, Avoid storing in direct sunlight, Stored above 4.4°C (40°F) and below 49°C (120°F)
<b>Incompatible Materials</b>	Incompatible with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper, nickel, brass

**SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Significant Exposure
Alcohol Ethoxylate	None Established				EI
Hydrogen Peroxide	1 ppm (1.4 mg/m <sup>3</sup> )		1 ppm (1.4 mg/m <sup>3</sup> )		RT

**PERSONAL PROTECTIVE EQUIPMENT**

Chemical Safety Glasses, Goggles or Face Shield



Impervious Chemical Gloves



Eye Wash (Recommended)

**Ventilation**

General Ventilation

**HMIS HAZARD RATINGS**

Health	2
Flammability	0
Reactivity	1
Personal Protection	B

**SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES**

<b>Flash Point</b>	> 93.3°C (200°F) - TAG Closed Cup	<b>Specific Gravity / Density</b>	1.035 - 1.047
<b>Flammable Limits</b>	ND	<b>pH (± 0.3)</b>	6.0 - 6.5
<b>Auto-Ignition Temp.</b>	ND	<b>Viscosity</b>	ND
<b>Physical State</b>	Liquid	<b>Freeze Point</b>	0°C (32°F)
<b>Appearance</b>	Clear	<b>Boiling Point</b>	100°C (212°F)
<b>Odor</b>	Orange	<b>Vapor Density (air=1)</b>	ND
<b>Odor Threshold</b>	ND	<b>Vapor Pressure (mm Hg)</b>	ND
<b>Solubility</b>	100%	<b>Evaporation Rate (nBuAc=1)</b>	ND
<b>Volatiles</b>	< 90%	<b>Partition Coefficient</b>	ND
<b>VOC</b>	0.002% @ 1:256	<b>Molecular Weight (g/mol)</b>	~ 80.08
<b>LVP-VOC</b>	0.00%	<b>Decomposition Temperature</b>	ND

**SECTION – 10 STABILITY AND REACTIVITY**

<b>Reactivity (Specific Test Data)</b>	None available
<b>Chemical Stability</b>	Stable when stored above 4.4°C (40°F) and below 49°C (120°F)
<b>Hazardous Polymerization</b>	Will not occur
<b>Conditions To Avoid</b>	Incompatible materials, Direct sunlight
<b>Incompatible Materials</b>	Incompatible with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper, nickel, brass
<b>Thermal Decomposition</b>	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

**SECTION – 11 TOXICOLOGICAL INFORMATION****ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE**

**Eyes** Can cause serious eye irritation, redness, tearing, pain, or possible eye damage, by direct product eye contact  
**Skin** Can cause serious skin irritation, redness, burning, drying or cracking  
**Inhalation** Spray mist may cause mild irritation, to mucus membranes or respiratory tract  
**Ingestion** Harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Slight acute toxicity if swallowed

**CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE**

**Eyes** Causes serious eye damage, redness, tearing, pain, or possible corneal injury, by direct product eye contact  
**Skin** Can cause serious skin damage, redness, burning, defatting of the skin which may lead to dermatitis  
**Inhalation** Spray mist may cause irritation, to nose, throat or mucus membranes  
**Ingestion** Harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus, Moderate acute toxicity if swallowed

**Acute Tox Calculated**                      **Oral:**                      3780 mg/kg                      **Dermal:**                      7032 mg/kg                      **Inhaled:**                      8.9 mg/L

**Acute Tox Category** Not applicable (Oral >2,000 mg/kg), Not applicable (Dermal >2,000 mg/kg), Not applicable (Inhaled >5 mg/L) Dust or Mist

**Additional Info**

**Target Organs** Respiratory Tract, Eyes (Lens or cornea), Skin  
**Medical Conditions** Preexisting, eye, skin, respiratory, disorders may be aggravated by exposure to this product  
**Notes to Physician** In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

**CARCINOGENIC – This product contains concentrations above 0.1% of the following:**

<u>CHEMICAL NAME</u>	<u>NTP</u>	<u>ACGIH</u>	<u>IARC</u>	<u>GHS Category</u>
None Listed	NA	NA	NA	NA

**MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:**

<u>CHEMICAL NAME</u>	<u>Germ Cell Mutagenicity</u>	<u>Toxic to Reproduction</u>
None Listed	NA	NA

**COMPONENTS ACUTE TOXICITY**

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Alcohol Ethoxylate	LD50	Oral	Rat	> 2,000 mg/kg		(>2000 mg/kg)
	LD50	Dermal	Rabbit	> 2,000 mg/kg		(>2000 mg/kg)
Hydrogen Peroxide	LD50	Oral	Rat	1,270 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rabbit	> 2,000 mg/kg		(>2000 mg/kg)
	LD50	Inhaled	Rat	2.0 mg/L	4 Hour (Mist)	4 (>1.0, ≤5 mg/L)

**SECTION – 12 ECOLOGICAL INFORMATION**

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Subject</u>	<u>Subject Latin</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Alcohol Ethoxylate	LD50	Fathead minnow	(Pimephales promelas)	140 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea	(Daphnia magna)	5.3 mg/L	48 Hours	2 (>1, ≤10 mg/L)
Hydrogen Peroxide	LC50	Fathead Minnow	(Pimephales promelas)	16.4 mg/L	96 Hours	3 (>10, ≤100 mg/L)

**Presistence And Degradability** This product is inherently biodegradable according to the OECD definition

**Bioaccumulative Potential** There is no evidence to suggest bioaccumulation will occur

**Mobility In Soil** This material is a mobile liquid

**Other Adverse Effects** Harmful to aquatic life

**SECTION – 13 DISPOSAL CONSIDERATIONS**

**DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER**

**Dispose of any waste in accordance with all State and Federal Guidelines and Regulations**

**ENVIRONMENTAL FATE**

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

**SECTION – 14 TRANSPORT INFORMATION****DOT CLASSIFICATION****UN Number**

Not Regulated

**Proper Shipping Name n.o.s. ( Chemicals ) or "Limits"**

Non Regulated Material

<u>Hazard Class</u>	<u>Packing Group</u>	<u>Label Codes</u>	<u>Reportable Quantity (lbs)</u>	<u>Response</u>	<u>Marine Pollutant</u>	<u>Hazard Label</u>	<u>Secondary</u>
None	None	None	None	128	No		

**Additional Info:**

**SECTION – 15 REGULATORY INFORMATION****TSCA**

CHEMICAL NAME	Sec 8(b) Inventory	Sec 8(d) Health And Safety	Sec 4(a) Chemical Test Rules	Sec 12(b) Export Notification
Alcohol ethoxylate	Yes			
Hydrogen Peroxide	Yes			

**REPORTABLE QUANTITIES**

CHEMICAL NAME	Extremely Hazardous EPCRA TPQ Sec 302	Reportable Quantity EPCRA RQ Sec 304	Emission Reporting CERCLA RQ Sec 103	TRI Sec 313	RCRA Code	RMP TQ Sec 112r
Hydrogen Peroxide (> 52%)			1000			

**SARA**

CHEMICAL NAME	Section 311		Section 311 / 312 Hazards			
	Hazardous Chemical	Acute	Chronic	Flammable	Pressure	Reactive
Alcohol Ethoxylate	Yes	Yes				
Hydrogen Peroxide	Yes	Yes	Yes			Yes

**RIGHT TO KNOW**

CHEMICAL NAME	STATE												
	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Hydrogen Peroxide						Yes		Yes			Yes		

**CALIFORNIA**

		WARNING! This product contains chemicals known to the state of California to cause:			
CHEMICAL NAME	CAS #	Birth Defects	Reproductive Harm	Carcinogen	Developmental
None Listed					

**CLEAN AIR WATER ACTS**

CHEMICAL NAME	CAS #	Clean Air Acts			Clean Water Acts		
		HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP
None Listed							

**INTERNATIONAL REGULATIONS** – The components of this product are listed on the chemical inventories of the following countries:

CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK
Alcohol Ethoxylate	Yes	Yes	Yes	Yes	Yes	Yes
Hydrogen Peroxide	Yes	Yes	Yes	Yes	Yes	Yes

**WHMIS Classification**

CHEMICAL NAME	DSL	Class	Description
Alcohol Ethoxylate, Hydrogen Peroxide	Yes	D-2B	Materials Causing Other Toxic Effects; Toxic Material
Hydrogen Peroxide		C	Oxidizing Material

**SECTION – 16 OTHER INFORMATION****SDS LEGEND DESCRIPTION**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists	<b>LC50</b>	A concentration that is lethal to 50% of a given species in a given time
<b>CAS</b>	Chemical Abstracts Service Registry	<b>LD50</b>	Dose that is lethal to 50% of a given species by a given route of exposure
<b>CEIL</b>	Ceiling Limit (15 minutes)	<b>LEL</b>	Lower Explosive Limit
<b>CERCL</b>	Comprehensive Environmental Response, Compensation, and Liability Act	<b>LD</b>	Liver Damage
<b>CI</b>	Cochlear Impairment	<b>NA</b>	Not Applicable
<b>CNS</b>	Central Nervous System	<b>ND</b>	Not Determined
<b>EC50</b>	Concentration of a chemical that gives half-maximal response	<b>NFPA</b>	National Fire Protection Association
<b>EPA</b>	Environmental Protection Agency	<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>Eye</b>	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	<b>NE</b>	Not Established
<b>FBG</b>	Full Bunker Gear	<b>NTP</b>	National Toxicology Program
<b>GHS</b>	Globally Harmonized System	<b>OSHA</b>	Occupational Safety and Health Administration
<b>HAP</b>	California Hazardous air pollutant Clean Air Act	<b>PEL</b>	Permissible Exposure Limit (OSHA)
<b>HMIS-A</b>	Safety Glasses	<b>PNS</b>	Peripheral Nervous System
<b>HMIS-B</b>	Safety glasses, gloves	<b>PP</b>	California Priority Pollutant under the Clean Water Act
<b>HMIS-C</b>	Safety glasses, gloves, chemical apron	<b>REL</b>	Recommended exposure limit (NIOSH)
<b>HMIS-D</b>	Face shield, gloves, chemical apron	<b>RT</b>	Upper Respiratory Tract
<b>HMIS-E</b>	Safety glasses, gloves, dust respirator	<b>Skin</b>	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
<b>HMIS-F</b>	Safety glasses, gloves, chemical apron, dust respirator	<b>SARA</b>	Superfund Amendments and Reauthorization Act
<b>HMIS-G</b>	Safety glasses, gloves, vapor respirator	<b>STEL</b>	Short Term Exposure Limit (15 minutes)
<b>HMIS-H</b>	Splash goggles, gloves, chemical apron, vapor respirator	<b>TC Lo</b>	Lowest concentration that is toxic to a given species in a given time
<b>HMIS-I</b>	Safety glasses, gloves, dust and vapor respirator	<b>TD Lo</b>	Lowest dose that is toxic to a given species
<b>HMIS-J</b>	Splash goggles, gloves, chemical apron, dust and vapor respirator	<b>TLV</b>	Threshold Limit Value (ACGIH)
<b>HMIS-K</b>	Air line hood or mask, gloves, full chemical suit, boots	<b>TP</b>	California Toxic Pollutant under the Clean Water Act
<b>HMIS-X</b>	Ask Supervisor	<b>TSCA</b>	Toxic Substances Control Act
<b>HS</b>	California Hazardous Substance under the Clean Water Act	<b>TWA</b>	Time Weighted Average (8 hours)
<b>KD</b>	Kidney Damage (nephropathy)	<b>UEL</b>	Upper Explosive Limit

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

**Print Date** 1/26/2016**Supersedes Safety Data Sheet Dated**

7/11/2015