

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 20-Sep-2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against: Manufacturer/Supplier:	AIRLIFT ULTRA FRAGRANT URINAL SCREEN XCELENTE SCENT 8009 Urinal screen For Industrial and Institutional Use Only Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com
24 Hour Emergency Phone Number Medical Emergency/Information: Transportation/Spill/Leak:	s: 888-314-6171 CHEMTREC 800-424-9300
	2. HAZARDS IDENTIFICATION
GHS Classification Skin Sensitization:	Category 1A
<u>GHS Label Elements</u> Signal Word: Symbols:	Warning
Hazard Statements: <u>Precautionary Statements:</u> Prevention: Response: -Skin	May cause an allergic skin reaction Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get
-Specific Treatment:	medical attention. Wash contaminated clothing before reuse. See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
Storage: Disposal:	Not Applicable Dispose of contents and container in accordance with local, state and federal regulations.
Hazards Not Otherwise Classified:	Not Applicable
Other Information:	 May be harmful if swallowed. May cause skin irritation. May cause eye irritation. Inhalation of vapors or mist may cause respiratory irritation. Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethylene/Va copolymer	24937-78-8	60-100
Fragrance	PROPRIETARY	5-10
2,6-Dimethyl-7-Octen-2-ol	18479-58-8	1-5
Terpineol Acetate	8007-35-0	0.1-1
Isobornyl Acetate	125-12-2	0.1-1
Eucalyptol	470-82-6	0.1-1
Ethylene Brassylate	105-95-3	0.1-1
Diphenyl Ether	101-84-8	0.1-1
Benzyl Benzoate	120-51-4	0.1-1
Benzyl Acetate	140-11-4	0.1-1
Anisaldehyde	123-11-5	0.1-1
4-Tert-Butylcyclohexyl Acetate	32210-23-4	0.1-1
Tetramethyl Acetyloctahydronaphthalenes	54464-57-2	0.1-1
Benzyl Salicylate	118-58-1	0.1-1
Amyl Salicylate	2050-08-0	0.1-1
3a,4,5,6,7,7a-Hexahydro-4,7-Methano-1H-Indenyl Acetate	54830-99-8	0.1-1
2-T-Butylcyclohexyl Acetate	88-41-5	0.1-1
Orange Terpenes	68647-72-3	0.1-1
Nerol	106-25-2	0.1-1
Methylundecanal	110-41-8	0.1-1
Linalool	78-70-6	0.1-1
Geraniol	106-24-1	0.1-1
Dimethyltetrahydro Benzaldehyde	68737-61-1	0.1-1
Coumarin	91-64-5	0.1-1
Citronellol	106-22-9	0.1-1
2,2-Dimethyl-3-(3-Tolyl)propane-1-ol	103694-68-4	0.1-1
Bacterial Spores	PROPRIETARY	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
-Skin Contact:	Wash with plenty of soap and water If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing before reuse.
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
-Ingestion:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
Note to Physicians:	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Specific Hazards Arising from the Chemical: Hazardous Combustion Products:	CO2, dry chemical, dry sand, alcohol-resistant foam Thermal decomposition can lead to release of irritating and toxic gases and vapors. May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Environmental Precautions: Methods for Clean-Up:	Use personal protective equipment as required. Do not rinse spill onto the ground, into storm sewers or bodies of water. Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)

7. HANDLING AND STORAGE

Advice on Safe Handling:

Storage Conditions:

Suggested Shelf Life:

after handling. Keep containers tightly closed in a cool, well-ventilated place. Keep out of the reach of children. Keep from freezing. 1 year from date of manufacture.

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Diphenyl Ether 101-84-8	STEL: 2 ppm vapor TWA: 1 ppm vapor	TWA: 1 ppm vapor TWA: 7 mg/m ³ vapor (vacated) TWA: 1 ppm vapor (vacated) TWA: 7 mg/m ³ vapor	IDLH: 100 ppm vapor TWA: 1 ppm vapor TWA: 7 mg/m³ vapor
Benzyl Acetate 140-11-4	TWA: 10 ppm	-	-
Engineering Controls:		ust, fumes, gas, vapors or mists wh tional exposure limits, local exhaus	
Personal Protective Equipment Eye/Face Protection: Skin and Body Protection: Respiratory Protection:		cal-resistant gloves. ise. its are exceeded or respiratory irrita	
General Hygiene Considerations:	3 should be considered.	pirator suitable for the use-conditio ed skin thoroughly after handling.	ns and chemicals in Section

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Solid
Color:	Purple
Odor:	Pleasant
pH:	Not Applicable
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	> 100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F
Evaporation Rate:	< 1.0 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.0
Solubility(ies):	Insoluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to Avoid: Incompatible Materials: Hazardous Decomposition Products:	This material is considered to be non-reactive under normal conditions of use. Stable under normal conditions. Not expected to occur with normal handling and storage. Extremes of temperature and direct sunlight. Strong oxidizing agents. Strong acids. May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.
	11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:Eyes, Skin, Ingestion, Inhalation.Symptoms of Exposure:Pain and redness.-Eye Contact:Pain and redness.-Skin Contact:Drying of the skin. May cause sensitization by skin contact-Inhalation:Nasal discomfort and coughing.-Ingestion:Pain, nausea, vomiting and diarrhea.Immediate, Delayed, Chronic EffectsData not available or insufficient for classification.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):	50431	mg/kg
ATEmix (dermal):	50018	mg/kg

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2,6-Dimethyl-7-Octen-2-ol 18479-58-8	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	Not Available
Isobornyl Acetate 125-12-2	= 9050 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	Not Available
Eucalyptol 470-82-6	= 2480 mg/kg (Rat)	Not Available	Not Available
Diphenyl Ether 101-84-8	= 2450 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	Not Available

8009 - AIRLIFT ULTRA FRAGRANT URINAL SCREEN XCELENTE SCENT

Benzyl Benzoate 120-51-4	= 500 mg/kg (Rat)	= 4000 mg/kg (Rabbit)	Not Available
Benzyl Acetate 140-11-4	= 2490 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	Not Available
Anisaldehyde 123-11-5	> 2000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 0.32 mg/L (Rat)7 h
4-Tert-Butylcyclohexyl Acetate 32210-23-4	= 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	Not Available
Benzyl Salicylate 118-58-1	= 2227 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	Not Available
Amyl Salicylate 2050-08-0	= 4100 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	Not Available
2-T-Butylcyclohexyl Acetate 88-41-5	= 4600 mg/kg (Rat)	Not Available	Not Available
Nerol 106-25-2	= 4500 mg/kg (Rat)	> 5 g/kg (Rabbit)	Not Available
Methylundecanal 110-41-8	> 5 g/kg (Rat)	Not Available	Not Available
Linalool 78-70-6	= 2790 mg/kg (Rat)	Not Available	Not Available
Geraniol 106-24-1	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	Not Available
Coumarin 91-64-5	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	Not Available
Citronellol 106-22-9	= 3450 mg/kg (Rat)	= 2650 mg/kg (Rabbit)	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Isobornyl Acetate 125-12-2	Not Available	10.0 - 18.0: 96 h Brachydanio rerio mg/L LC50 static	Not Available	Not Available
Eucalyptol 470-82-6	Not Available	95.4 - 109: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	Not Available
Diphenyl Ether 101-84-8	Not Available	4: 96 h Pimephales promelas mg/L LC50 flow-through 4 - 7.9: 96 h Pimephales promelas mg/L LC50 static	Not Available	0.11 - 1.1: 48 h Daph magna mg/L LC50
Linalool 78-70-6	88.3: 96 h Desmodesmus subspicatus mg/L EC50	Not Available	Not Available	20: 48 h Daphnia mag mg/L EC50

Persistence and Degradability: Bioaccumulation: No information available. No information available.

Other Adverse Effects:

Ecotoxicity

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Contaminated Packaging: Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Proper Shipping Name:

Non-Hazardous Product

Special: N/A

Special Provisions:	Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.
IMDG:	Not Regulated
Proper Shipping Name:	Non-Hazardous Product

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	Yes
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

Instability: 0

Physical Hazards: 0

NFPA	Health Hazards: 1	Flammability: 0
HMIS	Health Hazards: 1	* Flammability: 0

Revision Date:	20-Sep-2019
Reasons for Revision:	Section, 2, 3, 8, 11, and, 12

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet